



# DRAFT SPECIFICATION

## Draft Specification

Louvres are to be CVS Freeflow Operable Louvres Model No. [insert model no. here].

Louvres are to be manufactured from [select material option] with a [select finish] finish.

Louvres are to have [nominate option/s or delete paragraph if not required] and be [select operation option] operated.

CVS Freeflow Louvres are to be installed and designed in accordance to the proprietary system recommendations and requirements as provided by CVS Equipment Pty Ltd. Phone: (02) 8796 3000. Email: sales@cvsgroup.com.au

### Material Options

- Aluminium
- Colourbond
- Stainless Steel
- Galvanised Steel

### Finishes

- Powdercoat
- Colourbond
- Anodised
- Mill

### Options

#### Vermin Mesh

- Galvanised
- Coated Galv.
- Stainless Steel
- Plastic
- Metal Perforation
- Expanded Metal

#### Insect Mesh

- Aluminium
- Fibreglass
- Stainless Steel
- Metal Perforation


#### Other Options

- Security Screens
- Fire Dampers
- Dust Filters
- Egg Crate Grilles
- Control Dampers

### Operating Options


- Manual Hand Operation
- Hand Winder Control
- Electric Actuators

## Models




**0500P**

150mm



**0750P**

150mm



**0900P**

150mm



Louvre & Sunscreen Specialists

☎ 02 8796 3000  
✉ [sales@cvsgroup.com.au](mailto:sales@cvsgroup.com.au)

[www.cvsgroup.com.au](http://www.cvsgroup.com.au)