



DRAFT SPECIFICATION



Shadelite Sunshadow Screens

www.cvsgroup.com.au

Draft Specification

Sunscreens are to be CVS Shadelite Sunshadow Screens Model No. [insert model no. here].

Sunscreens are to be manufactured with a [select finish] finish.

Sunscreens are to be operable/fixed [delete which ever is not applicable], [nominate bracket/fixing option/s] and installed Vertically/Horizontally. [delete which ever is not applicable]

CVS Shadelite Sunscreens are to be installed and designed in accordance to the proprietary system recommendations and requirements as provided by CVS Equipment Pty Ltd. Phone: (02) 8796 3000. Email: sales@cvsgroup.com.au

Finishes

- Powdercoat
- Anodised
- Mill

Bracket and Fixing Options

- Top Hung Brackets
- Bottom Hung Brackets
- Wall Angles
- Wire Rope Stays
- Grille Clips
- Fixing Flats
- RHS Brackets
- RHS Stays
- Rod Stays
- Framed
- Frameless
- Edge Flats

Operating Options


- Manual Hand Operation
- Hand Winder Control
- Electric Actuators

Models



060SH

60mm



060SHOP

60mm



Louvre & Sunscreen Specialists

☎ 02 8796 3000
✉ sales@cvsgroup.com.au

www.cvsgroup.com.au