



# DRAFT SPECIFICATION

## Draft Specification

Sunscreens are to be CVS Shadelite Ellipsoid Screens Model No. [insert model no. here].

Sunscreens are to be manufactured with a [select finish] finish.

Sunscreens are to be operable/fixed [delete which ever is not applicable], [nominate bracket/fixing option/s] and installed Vertically/Horizontally. [delete which ever is not applicable]

CVS Shadelite Sunscreens are to be installed and designed in accordance to the proprietary system recommendations and requirements as provided by CVS Equipment Pty Ltd. Phone: (02) 8796 3000. Email: sales@cvsgroup.com.au

### Finishes

- Powdercoat
- Anodised
- Mill


### Bracket and Fixing Options

- Top Hung Brackets
- Bottom Hung Brackets
- Wall Angles
- Wire Rope Stays
- Grille Clips
- Fixing Flats
- RHS Brackets
- RHS Stays
- Rod Stays
- Framed
- Frameless
- Edge Flats

### Operating Options

- Manual Hand Operation
- Hand Winder Control
- Electric Actuators

# Models



<b>070EL</b>	70mm
<b>090EL</b>	90mm
<b>100EL</b>	100mm
<b>120EL</b>	120mm
<b>150EL</b>	150mm
<b>175EL</b>	175mm
<b>200EL</b>	200mm
<b>250EL</b>	250mm
<b>300EL</b>	300mm
<b>350EL</b>	350mm
<b>400EL</b>	400mm
<b>430EL</b>	430mm
<b>600EL</b>	600mm



<b>070ELOP</b>	70mm
<b>090ELOP</b>	90mm
<b>100ELOP</b>	100mm
<b>120ELOP</b>	120mm
<b>150ELOP</b>	150mm
<b>175ELOP</b>	175mm
<b>200ELOP</b>	200mm
<b>250ELOP</b>	250mm
<b>300ELOP</b>	300mm
<b>350ELOP</b>	350mm
<b>400ELOP</b>	400mm
<b>430ELOP</b>	430mm
<b>600ELOP</b>	600mm



Louvre & Sunscreen Specialists

☎ 02 8796 3000  
 ✉ [sales@cvsgroup.com.au](mailto:sales@cvsgroup.com.au)

[www.cvsgroup.com.au](http://www.cvsgroup.com.au)